

FREE WEIGHT AREAS



TECHNICAL DATA SHEET

PAVIGYM
THE BASIS OF FITNESS

P PAVIGYM EXTREME S&S

Specifically designed for heavy duty & weight training areas where maximum level of resistance and sound absorption is needed.

TECHNICAL INFORMATION

Weight		19,1 kg
Density	UNE-53526	900 kg/m ³
% water absorption	ASTM D570	0%
Coef. linear dilatation	0°C-40°C	10 ⁻⁴⁰ C ⁻¹
Fire classification	EN 13501-1	Efl
Sound insulation	ISO 10140-3	20 dB

COMPARATIVE CHART

	PAVIGYM EXTREME S&S	PAVIGYM EXTREME	RECYCLED RUBBER (ROLLS)
Comfort	*****	***	**
Marks resistance (regular loads)	*****	*****	*****
Marks resistance (big loads)	*****	***	**
Sound insulation	*****	***	***
Durability	****	*****	***
Hygienic / Anti-bacterial protection	***	*****	***
Thermal insulation	*****	***	***
Water resistance	*****	*****	***
Easy to install & maintain	****	*****	**

COLOURS

*The appearance and color of these pictures may differ slightly from the final product.



PAVIGYM PURE STONE



PAVIGYM SUPER BLACK



PAVIGYM NATURAL CLAY



PAVIGYM BROWN GRAVEL

SPECIAL COLOURS




PAVIGYM LTD CYAN



PAVIGYM LTD ORANGE



PAVIGYM LTD GREEN



PAVIGYM LTD YELLOW




PAVIGYM BLACK & BLACK

*Contact us for more details about availability.



INTERLOCKING SYSTEM



THICKNESS 22 MM



Top Layer
Virgin rubber= resistance and friction

Bottom Layer
Rubber + air = Impact absorption + sound absorption



TOP LAYER: VIRGIN RUBBER

RAW MATERIAL

Pavigym Extreme S&S is made of recycled Pavigym Endurance.



Virgin Rubber




100% recyclable




PVC Free

COMPARATIVE CHART

RUBBER DUMBBELLS



IRON DUMBBELLS



BENEFITS


GREAT RESISTANCE WITH AN ATTRACTIVE HARD CORE AESTHETIC

- ## 1 High impact absorption

 - Avoids marks
 - Protects the subfloor
 - Protects the accessories
- ## 2 Reduces noise and sound vibration

It helps to create a more comfortable environment for the user and other people within the building.
- ## 3 Hygienic condition

No migrations: No transfer of chemicals to the surface as happens in recycled rubber tiles.



Non-porous: No liquids leak through, easy to clean, no mould, no bad odour.
- ## 4 Easy to install

 - Loose laid flooring
 - No adhesive required
 - Easy to change, tile by tile
 - Huge time & cost saving
- ## 5 Aesthetic

 - Personalised designs with logos and markings.
 - Available in 9 colours.

FREE WEIGHT AREAS

P PAVIGYM
EXTREME S&S

