

CARDIO AREA



TECHNICAL DATA SHEET

P PAVIGYM PERFORMANCE+

100% resistance and elegance for cardio, fitness & functional training area.

Best biomechanical and sport properties for your gym.
Design, elegance, resistance, elasticity and friction to prevent equipment from sliding, reduce noise & vibration and resist indentations.

TECHNICAL INFORMATION

Weight		6,9 kg
Density	UNE-53526	1.400 kg/m ³
Hardness	DIN 53505	80° Shore A
% water absorption	ASTM D570	0%
Coef. linear dilatation	0°C-40°C	1,5 10 ⁻⁴ °C ⁻¹
Fire classification	EN 13501-1	Bfl-s1
Sound insulation	ISO 10140-3	18,4 dB


COMPARATIVE CHART

	PAVIGYM PERFORMANCE+	REC. RUBBER (ROLLS)	LAMINATED	CARPET	LINOLEUM	CERAMIC
Comfort	***	***	**	****	***	*
Vibration absorptions	***	***	*	***	***	*
Marks resistance	****	***	*	*	**	****
Sound insulation	****	***	*	**	***	*
Thermal insulation	***	**	***	****	***	*
Durability	*****	***	*	*	**	*****
Hygienic/Anti-bacterial protection	*****	**	****	*	***	*****
Easy to install	*****	**	**	**	**	*
Easy to repair/replace	*****	**	*	*	**	**

COLOURS




PAVIGYM LIME



PAVIGYM ORANGE




PAVIGYM CYAN




PAVIGYM RED




PAVIGYM MAGENTA




PAVIGYM PURPLE




PAVIGYM WENGUE




PAVIGYM WALNUT




PAVIGYM JET BLACK



PAVIGYM BEECHWOOD



PAVIGYM STONE GREY




PAVIGYM B. MARBLE*

*GRAINED EFFECT

*The appearance and color of these images may differ slightly from the final product.



INTERLOCKING SYSTEM



To avoid product counterfeiting, our tiles are marked with the Pavigym logo.

THICKNESS 5 mm



VIRGIN RUBBER MOLECULE PERFECT POLYMERIC CHAIN

RAW MATERIAL

Pavigym Performance+ is made from the best 100% recyclable and reusable virgin rubber.



Virgin rubber



100% recyclable



**Bfl
Certificate**

(Flames do not spread
nor generate toxic
smokes)



Not recycled rubber



PVC free



BENEFITS

OUR BEST PRICE OPTION FOR VIRGIN RUBBER FLOORING.

1

Tear resistance

Virgin rubber is 6 times more resistant than recycled rubber from tyres, it is practically unbreakable.

2

Anti-slip surface

Prevents movement of machines & equipment.



3

Resistant to marks

Thanks to its high density, it prevents machines and equipment from marking the floor.

4

Reduces noise and sound vibration

It helps to create a more comfortable environment for the user and other people within the building.

5

Hygienic conditions

No migrations: No transfer of chemicals to the surface as happens in recycled rubber tiles.

Non porous: No liquids leak through, easy to clean, no mould, no bad odour.



6

Easy to install

- No adhesive required
- Easy to change, tile by tile

- Huge time & cost saving

7

Aesthetics

- Personalised designs with logos and markings.
- Available in 12 colours.

CARDIO AREA

