

STRENGTH AREAS



TECHNICAL DATA SHEET

PAVIGYM
THE BASIS OF FITNESS

P PAVIGYM EXTREME

Maximum level of resistance for fitness,
functional training and free weight areas
(medium loads),



Superior level of resistance against damage for free weight (medium loads), fitness & functional training areas.
High impact absorption of falling objects

TECHNICAL INFORMATION


Weight		7,2 kg
Density	UNE-53526	1.200 kg/m ³
% water absorption	ASTM D570	0%
Coef. linear dilatation	0°C-40°C	1,5 10 ⁻⁴ °C ⁻¹
Fire classification	EN 13501-1	Cfl-s2
Sound insulation	ISO 10140	15,4 dB

COMPARATIVE CHART


	PAVIGYM EXTREME S&S	PAVIGYM EXTREME	RECYCLED RUBBER (ROLLS)
Comfort	*****	***	**
Energy restitution / ppoint elastic	*****	***	***
Marks resistance (regular loads)	*****	*****	*****
Marks Resistance (big loads)	*****	***	**
Sound insulation	*****	***	***
Durability	****	*****	***
Hygienic / Anti-bacterial protection	***	*****	***
Thermal insulation	*****	***	***
Water resistance	*****	*****	***
Easy to install & maintain	****	*****	**

COLOURS

*The appearance and color of these pictures may differ slightly from the final product.




PAVIGYM PURE STONE




PAVIGYM ONYX BLACK

SPECIAL COLOURS

*Contact us for more details about availability.




PAVIGYM LTD CYAN



PAVIGYM LTD ORANGE




PAVIGYM LTD GREEN



PAVIGYM LTD YELLOW



INTERLOCKING SYSTEM



THICKNESS 7 mm

STRENGTH AREAS

P PAVIGYM
EXTREME

