

# STRENGTH AREA



DATASHEET

## PAVIGYM ENDURANCE

Its high density provides supreme resistance for standard cardio, functional training & free weight areas (medium loads).

# TECHNICAL INFO

|                            |            |                                       |
|----------------------------|------------|---------------------------------------|
| Weight                     |            | 6,8 kg                                |
| Density                    | UNE-53526  | 1.200 kg/m <sup>3</sup>               |
| Hardness                   | din 53505  | 75° Shore A                           |
| Water absorption           | ASTM D570  | 0%                                    |
| Coef. of linear dilatation | 0°C-40°C   | 1,5 10 <sup>-4</sup> °C <sup>-1</sup> |
| Fire reaction              | EN 13501-1 | Cfl-s2 (Op. Bfl-s1)                   |
| Sound insulation           | ISO 10140  | 15,4 dB                               |


# COMPARATIVE CHART

|                                      | PAVIGYM ENDURANCE S&S | PAVIGYM ENDURANCE | RECYCLED RUBBER (ROLLS) |
|--------------------------------------|-----------------------|-------------------|-------------------------|
| Comfort                              | *****                 | ***               | **                      |
| Marks resistance (medium loads)      | *****                 | ****              | ***                     |
| Marks resistance (heavy loads)       | ****                  | ***               | **                      |
| Sound insulation                     | *****                 | ***               | **                      |
| Durability                           | *****                 | ****              | ***                     |
| Hygienic / Anti-bacterial protection | *****                 | *****             | **                      |
| Thermal insulation                   | *****                 | *****             | ***                     |
| Water resistance                     | *****                 | *****             | ***                     |
| Easy to install & maintain           | *****                 | *****             | **                      |

# COLOURS



PAVIGYM LIME



PAVIGYM ORANGE



PAVIGYM CYAN




PAVIGYM RED




PAVIGYM MAGENTA




PAVIGYM PURPLE



PAVIGYM WENGUE



PAVIGYM WALNUT



PAVIGYM A. BROWN




PAVIGYM BEECHWOOD



PAVIGYM B. MARBLE



PAVIGYM JET BLACK




PAVIGYM STONE GREY

*\*The appearance and color of these pictures may differ slightly from the final product.*



INTERLOCKING SYSTEM

To avoid counterfeiting, our tiles are marked with the Pavigym logo



THICKNESS  
7 mm



VIRGIN RUBBER MLECULE  
PERFECT POLYMELIC CHAIN



# STRENGTH AREA

