

HAMMER STRENGTH[®]



BUILT TO A HIGHER STANDARD

The reputation of Hammer Strength equipment has been built with steel, sweat and dedication.


Hammer Strength is the No. 1 option for elite athletes because it can take the pounding they dish out, and, most importantly, it's designed to provide results.

We are committed to turning steel into worldclass strength equipment. We're also committed to world-renowned durability.

That's why Hammer Strength equipment is tested to exceed industry standards, ensuring that it can hold up to years of even the most intense training programs.

HAMMER STRENGTH®



















HD PERFORMANCE TRAINERS

Create a no-limits experience for your athletes and exercisers. Maximum speed sprinting with the HD Tread, total body intervals on the HD Air Bike, and non-impact resisted drive on the HD SPARC. Redefine the performance experience.



HD TREAD

A durable, self-powered curved treadmill made for performance training.

Quick, efficient and tough enough to exceed the expectations of elite exercisers.



HD SPARC

The ultimate trainer for explosiveness and power. It requires a high-knee and glute driving force which is ideal for developing maximum force and sprint speed.



HD AIR BIKE

An endurance machine that lets exercisers quickly raise, and maintain, their heart rate. The rugged bike is built to endure even the most intense workouts.

7 HAMMERSTRENGTH.COM





HAMMER STRENGTH SELECT

TOUGH ENOUGH TO COMPLETE THE HAMMER STRENGTH FAMILY

Built with the Hammer Strength philosophy of performance strength training, Hammer Strength Select, the 22-piece line of selectorized strength equipment, combines attention to biomechanics with a rugged industrial aesthetic.

















ASSIST DIP CHIN / HS-ADC

BICEPS CURL / HS-BC

CHEST PRESS / HS-CP

FIXED PULLDOWN / HS-FPD

LAT PULLDOWN / HS-PD LATERAL RAISE / HS-LR PECTORAL FLY / HS-PEC PECTORAL FLY / REAR

DELTOID / HS-FLY















/ HS-HC



SEATED ROW / HS-RW

SHOULDER PRESS / HS-SP

TRICEPS EXTENSION / HS-TE

HIP ABDUCTION / HS-HAB

HIP ADDUCTION / HS-HAD HIP / GLUTE / HS-HG

HORIZONTAL CALF

LEG CURL / HS-LC













LEG EXTENSION / HS-LE SEATED LEG CURL / HS-SLC


SEATED LEG PRESS / HS-SLP

STANDING CALF / HS-SC

ABDOMINAL CRUNCH / HS-ABC

BACK EXTENSION / HS-BE





SMOOTH, BIOMECHANICALLY SOUND AND EXTREMELY EFFECTIVE

MTS delivers the effective Iso-Lateral® motion pioneered and patented by Hammer Strength plate-loaded equipment with the convenience of selectorized weight stacks.

The result is a line of 12 strength pieces that employ independent arm and leg actions to offer both performance and ease of use.



MTS



ABDOMINAL CRUNCH / MTSAB



ISO-LATERAL DECLINE PRESS / MTSDP



ISO-LATERAL BICEPS CURL / MTSBC



ISO-LATERAL SHOULDER PRESS / MTSSP



ISO-LATERAL CHEST PRESS / MTSCP



ISO-LATERAL TRICEPS EXTENSION / MTSTE



ISO-LATERAL LEG EXTENSION / MTSLE



ISO-LATERAL HIGH ROW / MTSHR



ISO-LATERAL KNEELING LEG CURL / MTSKC



ISO-LATERAL INCLINE PRESS / MTSIP



ISO-LATERAL FRONT PULLDOWN / MTSFP



ISO-LATERAL ROW / MTSRW






PLATE-LOADED

HAMMER STRENGTH IS BUILT ON THE PURE PERFORMANCE OF PLATE-LOADED STRENGTH EQUIPMENT

Independent natural paths of motion were revolutionary nearly three decades ago when Hammer Strength originated.

Plate-loaded equipment still employs these excellent biomechanics to create the ideal training tool for elite athletes and those who want to train like one.

More than 40 machines mean plenty of different ways to move iron against gravity.





ISO-LATERAL

BENCH PRESS / IL-BP





ISO-LATERAL

CHEST / BACK / IL-CB











ISO-LATERAL D.Y. ROW / IL-DRW

ISO-LATERAL DECLINE PRESS / IL-DCP

ISO-LATERAL FRONT LAT PULLDOWN / IL-PD

ISO-LATERAL HIGH ROW / IL-HR

ISO-LATERAL HORIZONTAL PRESS / IL-HBP

ISO-LATERAL INCLINE PRESS / IL-IP

















ISO-LATERAL LOW ROW / IL-LR

ISO-LATERAL ROW / IL-ROW

ISO-LATERAL SHOULDER PRESS / IL-SP

ISO-LATERAL SUPER INCLINE PRESS / IL-FMP

ISO-LATERAL WIDE CHEST / IL-WC

ISO-LATERAL WIDE PULLDOWN / IL-WPD

ISO-LATERAL LATERAL RAISE / PL-LR

4-WAY NECK / PL-4W



















PULLOVER / PL-PO

SEATED BICEPS / PL-BI

SEATED DIP / PL-DIP

GLUTE DRIVE / PL-GLD

SEATED / STANDING SHRUG / PL-SH

ABDOMINAL OBLIQUE CRUNCH / PL-AB

GRIPPER / PL-GRIP




PLATE-LOADED



















VERTICAL SMITH MACHINE / HSSMV

SMITH MACHINE / HSSM

ISO-LATERAL LEG CURL / IL-LC

ISO-LATERAL LEG EXTENSION / IL-LE

ISO-LATERAL LEG PRESS / IL-LP

ISO-LATERAL KNEELING LEG CURL / IL-KLC

LEG EXTENSION / PL-LE

LEG PRESS / PL-LP





















LINEAR LEG PRESS / HSLLP

SEATED CALF RAISE / PL-CALF

/ PL-SLC

CALF / PLSHC

SEATED LEG CURL SUPER HORIZONTAL ASSISTED NORDIC **HAMSTRING** / PL-ANH

GLUTE HAM/ REVERSE HYPER COMBO / PL-GHRH

BELT SQUAT / PL-BSQ

HACK SQUAT / PL-HSQ

TIBIA DORSI FLEXION / PL-TIB

V-SQUAT / PL-VSQ





GROUND BASE









COMBO DECLINE / GB-CD COMBO INCLINE / GB-CI COMBO TWIST / GB-CT

JAMMER / GB-J

GROUND BASE

PLATE-LOADED POWER BUILT FROM THE GROUND UP

Ground Base® equipment is designed to keep the exerciser firmly planted on the ground, while maximizing balance and explosiveness from the feet up. Each of the eight different machines works several muscle groups at once.

The result is a total-body workout ideal for both sports specific and functional training.







SQUAT HIGH PULL / GB-SHP

SQUAT LUNGE / GB-SL

TWIST LEFT / GB-TL

TWIST RIGHT / GB-TR



HD ELITE id

A RACK SYSTEM WITHOUT LIMITATIONS


Hammer Strength's most premium racks are crafted with elite athletes and world-class facilities in mind.

The amazing configurability of HD Elite iD lets you create unparalleled training experiences that evolve with you.

HD ELITE ID RACKS

BUILDING CHAMPIONS

This customizable and highly modular rack system was created for those who want to push the limit of what a rack can do. With unrivaled rigidity, impeccable functionality and meticulous design, these racks are engineered to thrive in the most demanding athletic environments and high-performance facilities.



PERFORMANCE FEATURES





ANVIL BRACING™

Multi-plane bolting configuration increases structural rigidity.

HAMMERLOCK™

Bolting mechanism allows for higher fastening torque and eliminates exposed hardware for a cleaner look



CO-BRANDING*

Show your team or facility pride by adding your custom logo *Co-branding is only available in North American markets.

7-GAUGE STEEL

50% thicker walls than 11 gauge ensures that your rack has the mass to feel rigid and holes won't deform over time.

BUILD THE RACK THAT BEST FITS YOUR WEIGHT ROOM FROM THESE STANDARD RACK BASE TYPES.







STANDARD POWER RACK / ELT-PR-STRD



COMBO RACK

CABLE STATIONS



HD ELITE DUAL ADJUSTABLE PULLEY / HDLDAP




HD ELITE PULLDOWN / HDLDAP



HD ELITE DUAL PULLDOWN ROW / HDLDPR




HD ELITE ROW / HDLRW



HD ATHLETIC NX

RACK

NX is a modular line of Racks that can be right sized to fit your space and your budget. At Hammer Strength, we don't compromise on performance. NX is ideal for high schools and training facilities that deserve Hammer Strength level quality and desire choices to create the perfect fit.



SERIES RACKS

G.H. MAS

POWER RACK



MIDO DACK



HALF RACK



HD ATHLETIC

EASILY CREATE YOUR OWN PERFORMANCE TRAINING SPACE

HD ATHLETIC NX

HD Athletic NX is the next generation of HD Athletic Racks. It's highly configurable, easily upgradable and offers a wide range of strength training options. There's no limit to how athletes can train with HD Athletic NX.

HD ATHLETIC PRO

HD Athletic Pro creates massive training flexibility out of small spaces. HD Athletic Pro is for the customer that needs integrated barbell solutions with practical accessory storage and functional training. Configure the structures that best fit your room by maximizing open floorspace without limiting the number of bars moving.

COMBO RACK

29 HAMMERSTRENGTH.COM



HD ATHLETIC PRO

PERFORMANCE STRENGTH TRAINING THAT MAXIMIZES SPACE

HD ATHLETIC BRIDGE


Olympic training and storage options are connected by an overhead bridge that offers the opportunity for group strength training, body weight training and more. Open space underneath the Bridge can also be used for a variety of general group exercise.

Several configuration sizes fit nearly any space.

HD ATHLETIC PERIMETER

A depth of 32" ensures that Perimeter fits unobtrusively against a wall. Connect several together to create a performance strength training wall or large storage area.

BRIDGE CONFIGURATION*



PERIMETER CONFIGURATION*



Call for pricing and additional configurations. Images not to scale. Products subject to change.



UNIVERSAL ADD-ONS

Build the training system that challenges anyone with nearly limitless configuration options.

Choose from a wide range of add-ons, cross-members and storage possibilities. Nearly all are compatible with HD Elite iD, HD Athletic NX, Perimeter and Bridge.



Scan to learn more about add-on options.



LIGHTNING ARMS



NORDIC HAM



BATTLE ROPE ATT.



UTILITY BAND PEG



POWER PIVOT



MOD. POWER PIVOT



LOCK KNOB



UTILITY PAD



TOP BALL STORAGE



WALL BALL TARGET



HEAVY BAG HANGER



DIP HANDLE



DOCK 'N' LOCK



3" BALL GRIP



ARC BAR



NEUTRAL GRIPS



SPOTTER PLATFORMS



CUSTOM SIGNS*



CUSTOM ANVIL PLATES*



SQUARE RACK CONNECTORS



3 X 3 SQUARE



PERCH XM



WING



BALLISTIC WING



SPIDER GUSSET

^{*}Only available in North American markets.

UNIVERSAL ADD-ONS

BAR AND WEIGHT STORAGE

Ensure that the tools of the trade are easy to access. Smart storage options result in more efficient workouts.



STANDARD WEIGHT HORN



XL WEIGHT HORN



BULL HORN



2-BAR HANGER



SINGLE BAR HANGER



THICK BAR HANGER



SPECIALTY BAR STORAGE



LOW BAR STORAGE



PRO BAR STORAGE



UTILITY STORAGE POST



STORAGE TRAYS




MODULAR ACCESSORY STORAGE

BAR SUPPORTS AND CATCHES



ID BAR SUPPORTS

3/8" bent plate with
3/8" paint guards protect
the rack and dampen sound.
Using molded urethane
covers, the supports have a
large 5-1/2" landing zone and
a 1-1/2" resting surface to
ensure the bar is balanced.
A zinc-plated rod allows for
smooth adjustments.



ID HALF RACK BAR CATCHES

22" (56 cm) with a 3-sided urethane guard to shield the catch and the bar. Shock absorption pads and vertical displacement brackets prevent rack damage. Pins through the side of the rack for added stability.



FLEXIBLE BAR CATCHES

Reinforced nylon straps disperse impact to the rack and prevent knurling damage to bars. The front and back of the straps can be offset so the bar rolls away if dropped when squatting.



PREMIUM POWER RACK BAR CATCHES

For NX Power Racks.
Designed with 2" x 3",
11-gauge tubing with a 1/2"
solid steel rod from upright
to upright. High-wear
charcoal finish with a 3-sided
urethane guard that protects
all contact areas. Catches
lock into place using Utility
Band Pegs.



STANDARD HALF RACK BAR CATCHES*

18" (46 cm) long with a 3-sided urethane guard to shield the catch and the bar. The catch locks in place from the face of the rack. Charcoal finish is a durable matte powder coating that includes paint guard tape.



PREMIUM HALF RACK BAR CATCHES*

22" (56 cm) long with a 3-sided urethane guard. Shock absorption pads and vertical displacement brackets prevent rack damage. Catch pins through the side of the rack for added strength. Highwear charcoal powdercoated finish.



STANDARD BAR SUPPORTS*

Welded 3/8" plate with an injection-molded urethane cover for bar protection. Charcoal finish is a matte powder coating that includes paint guard tape to protect the uprights.




PREMIUM BAR SUPPORTS*

A welded 1/2" plate protected by an oversized, urethane cover for bar protection. Landing area is 2" that tapers to 1.3" for wide hand clearance. High-wear powder-coated finish with a chrome pin. Interior is wrapped with 3/8" urethane to prevent metal-on-metal contact.

Note: Not all options are listed. Contact your sales representative for more information.

^{*}Compatible with HD Athletic NX Racks only.



BENCHES AND STORAGE

SET UP YOUR PERFECT PERFORMANCE WORKOUT

Rugged 11-gauge steel frame construction stands up to the pounding of the most intense free weight and bodyweight workouts. A wide selection includes Olympic stations, training stations, bodyweight stations and storage options.

BENCHES AND STORAGE







ADJUSTABLE BENCH / FWMAB

DECLINE/ABDOMINAL BENCH / FW-DB

FLAT BENCH / FW-FB



UTILITY BENCH-75°

/ FW-UB75





MULTI-ADJUSTABLE BENCH / HDT-MAB



ADJUSTABLE BENCH / HDLADJN

- Back pad adjusts to 0, 15, 30, 45, 60 and 75-degree pressing angles
- Seat pad adjusts 0, 15 and 30 degrees
- Not compatible with Dock N' Lock system





- Back pad adjusts to 0, 15, 30, 45, 60 and 75-degree pressing angles
- Seat pad adjusts 0, 15 and 30 degrees
- Also available with wider/longer pads (HDLADJXL)
- For use with Dock N' Lock system



DOCK 'N LOCK / HDLDL

- Engages HDLADJ & HDLADJXL benches into nine forward and backward positions
- Ensures bench is always locked into place and centered in racks
- Fits on HD Elite and HD Athletic Racks



















/ O-DB

OLYMPIC FLAT BENCH / O-FB

OLYMPIC INCLINE BENCH / OIB

OLYMPIC MILITARY BENCH / O-MB

OLYMPIC SQUAT RACK / OSR













CHIN/DIP/LEG RAISE / BW-CDL

FIXED PAD GLUTE/HAM / BW-GHF

STORAGE / FW-BPS

GLUTE/HAM / BW-GH

SEATED ARM CURL

BACK EXTENSION / BW-BE

4' FREESTANDING **STORAGE** / HDT-FSS-4

6' FREESTANDING STORAGE / HDT-FSS-6







LARGE BUMPER PLATE STORAGE / FW-BPL



DELUXE WEIGHT TREE / FW-DWT



SINGLE-TIER DUMBBELL RACK / FW-DR1



TWO-TIER DUMBBELL RACK / FW-DR2




THREE-TIER DUMBBELL RACK / FW-DR3



Durability is engineered into each product and form follows function for a truly exceptional

accessory line.



OLYMPIC PLATES



ROUND URETHANE OLYMPIC PLATES

- Weights: 1.25, 2.5, 5, 10, 15, 25kg
- Premium urethane provides outstanding resistance to scratches, cuts, abrasions, and general wear and tear
- Four beveled gaps for easy floor pickup
- Chemically molded-in logos and numbers



ROUND RUBBER OLYMPIC PLATES

- Weights: 1.25, 2.5, 5, 10, 15, 20, 25kg
- Made from rubber and engineered for maximum durability
- Ergonomically designed handle contour
- Molded-in logo and weight numbers



URETHANE DUMBBELLS



- Weight range: 2 to 60kg (2kg increments)
- Durable, chemically-bonded urethane
- High-grade urethane provides superior resistance to scratches, cuts, abrasion and general wear and tear
- Triple lock, securely fastened head-to-handle system
- Anti-roll, X-shaped head
- Hard chrome-plated handles



RUBBER DUMBBELLS

- Weight range: 2.5 to 50kg (2.5kg increments)
- Durable, chemically-bonded rubber
- Dual lock, securely fastened head-to-handle system
- Anti-roll, X-shaped head
- Hard chrome-plated handles



HEX RUBBER DUMBBELLS

- Weights: 2.5 to 50kg (2.5kg increments)
- Hex-shaped head
- Hard chrome-plated handle



BUMPERS



URETHANE BUMPERS

- Weights: 5, 10, 15, 20, 25kg
- 450mm diameter
- Molded-in numbers and logos
- Precision machined high-grade steel, hard chrome plated hub (10 – 25kg)
- Chemically bonded urethane for maximum durability



PREMIUM RUBBER BUMPERS

- Weights: 10, 15, 20, 25kg
- 450mm diameter
- Molded-in numbers and logos
- Precision machined high-grade steel, hard chrome plated hub
- Chemically bonded rubber for maximum durability



STANDARD RUBBER BUMPERS

- Weights: 5, 10, 15, 20, 25kg
- 450mm diameter
- Molded-in numbers and logos
- Stainless steel pressed and flared center ring

47 HAMMERSTRENGTH.COM



OLYMPIC BARS



20KG COMPETITION OLYMPIC BAR

28MM, CHROME, BEARING

- Meets IWF standards
- Good whip, ideal for Olympic lifts
- Precision needle bearings
- Made in the U.S.A.



20KG GYM BAR 29MM, CHROME, BUSHING

- Stiff, low bounce ideal for Olympic bench use
- Medium-high aggressive knurl
- Knurl removed from rack support area
- Made in the U.S.A.



15KG OLYMPIC BAR 25MM, CHROME, BUSHING

- Meets IWF standards
- Composite bushings or needle bearings
- Also available in stainless steel
- Made in the U.S.A.



20KG OLYMPIC BAR 28MM, CHROME, BUSHING

- Meets IWF standards
- Good whip, ideal for Olympic lifts
- Industrial-grade composite bushings
- Made in the U.S.A.



SPRING COLLAR

- An easy and cost-effective way to secure Olympic plates
- Hard chrome
- Rubber handles



20KG TRAINING BAR 29MM, BLACK OXIDE, BUSHING

- Ideal for general weightlifting
- Composite bushings



LOCK-JAW OLY2 COLLAR

- Made to fit seamlessly with standard Olympic bars to secure bumpers and plates during workouts
- Easy to use cam lock lever design allows for quick weight change with the flip of the handle
- Elastomer pads with resin frames protect the bar

49 HAMMERSTRENGTH.COM

FIXED BARBELLS & CURL BARS HRMMER 30 STRENGTH HAMMER 35 STRENGTH HAMMER 40 STRENGTH 51 HAMMERSTRENGTH.COM

FIXED BARBELLS & CURL BARS



URETHANE FIXED BARBELLS

- Weight range: 10, 12.5, 15, 17.5, 20, 25, 30, 35, 40, 45kg
- Premium urethane
- Anti-roll, X-shaped head
- Hard chrome-plated shaft



RUBBER FIXED BARBELLS

- Weight range: 10, 12.5, 15, 17.5, 20, 25, 30, 35, 40, 45kg
- Premium rubber
- Anti-roll, X-shaped head
- Hard chrome-plated shaft



CURL BARS

- Length: 1.5m
- EZ curl or straight
- High-grade steel, hard chrome plated
- Composite bushings



KETTLEBELLS



HAMMER STRENGTH COMPETITION KETTLEBELLS

- Weight range:
- 8, 10, 12, 14, 16, 20, 24, 28, 32kg
- Base diameter: 14cm (5.5")
- Industrial powder coated bell
- Handle diameter: 33mm
- Stainless steel handles



SLAM BALLS

- Weights: 5, 10, 15, 20kg
- Diameter: 25cm
- Inflated to maintain roundness
- X-shaped textured shell for grip



SLAMBAGS

- Weight range: 2 20kg (2kg increments)
- Micro-grade steel pellets for grip variety and challenging weight exercises
- Double-stitched neoprene casing

PLYO BOXES 55 HAMMERSTRENGTH.COM

PLYO BOXES



3-IN-1 SOFT PLYO BOX

- Dimensions (L x W x H): 50 x 60 x 76cm
- Weight: 28kg
- Dense foam inner core with soft foam outer core
- Double-stitched vinyl seams with anti-slip surface on all sides
- Soft foam edges and corners




STACKABLE PLYO BOXES

- Base dimensions (L x W): 76 x 92cm
- Five different heights:7, 15, 30, 45, 60cm
- Soft, ultra-dense foam interior
- Vinyl with top-facing anti-slip surface
- Velcro and flaps securely lock stacked boxes together



3-IN-1 WOOD PLYO BOX

- Dimensions (L x W x H): 50 x 60 x 76cm
- Inner bracing system
- Heavy-duty birch plywood
- Side handles



PLATFORMS AND INSERTS



IMPACT SUPPRESSION PLATFORMS

Innovative Sound and Vibration Reduction

The drop zone consists of several impact suppression squares that significantly reduce noise, vibration, and barbell bounce.

Durable Design

A heavy-duty steel frame with Hammer Strength corner gussets. Designed to meet the demands of daily training in diverse weightlifting environments.

Secure Lifting Zone

Engineered hardwood, or the option of a dense rubber lifting surface. Deck offers secure foot placement during lifts.



TRADITIONAL WOOD PLATFORMS

Impact Protection and Facility Preservation

Platforms provide a clearly defined lifting space, effectively safeguarding both equipment and training facilities from the impacts of dropped barbells.

Durable Design

A heavy-duty steel frame with Hammer Strength corner gussets. Designed to meet the demands of daily training in diverse weightlifting environments.

Secure Lifting Zone

Engineered hardwood, or the option of a dense rubber lifting surface. Deck offers secure foot placement during lifts.



RUBBER PLATFORMS

Effective and Low-Profile

A low-profile 3" (76mm) thickness allows for perfect integration with any Hammer Strength Rack.

Designed to Expand

Rubber Platforms connect using unique linking ridges, so you get what you need no matter how big your space is or how many racks you have.

STRENGTH EQUIPMENT COLOR CHART

| STRENGTH FRAME COLORS | | | HD RACKS | | |
|-----------------------------------|--|--------------------|------------------------------------|-----------------------------------|--|
| | | HAMMER STRENGTH | NX & ID | HD ATHLETIC PRO BRIDGE AND RIG | |
| | | | NX Xmember are HW Charcoal Only | Upright & Xmember | |
| Platinum* | | S | S | N/A | |
| Black | | S | | N/A | |
| Charcoal | | S | S | N/A | |
| Titanium*# | | S | S | N/A | |
| White | | S | S | N/A | |
| Blue | | S | S | N/A | |
| Red | | S | S | N/A | |
| Yellow | | S | S | N/A | |
| Midnight Metallic* | | 0 | С | N/A | |
| Mocha Sand | | 0 | С | N/A | |
| High Wear Charcoal | | С | S | S | |
| High Wear Platinum | | С | S | S | |
| Matte High Wear Titanium | | С | S | S | |
| Matte High Wear White | | С | S | S | |
| Matte High Wear Yellow | | С | S | S | |
| Matte High Wear Red [^] | | С | S | S | |
| Matte High Wear Blue [^] | | С | S | S | |
| Custom | | С | С | С | |

Key

S = Standard

O = Optional

C = Custom

N/A = Not Available

Notes:

Hammer Strength Select and MTS have a second clear coat of paint

 $^{\wedge}$ Colors do not match original High-Wear Red and High-Wear Blue

New custom frame colors require a one-time Custom Formulation Set-Up fee

| STRENGTH UPHOLSTERY COLORS | HAMMER STRENGTH |
|----------------------------|-----------------|
| American Beauty Red | Optional |
| Azure | Standard |
| Black | Standard |
| Black Carbon Fiber | Optional |
| Burgundy | Optional |
| Candy Apple Red | Standard |
| Chestnut | Optional |
| Cranberry | Standard |
| Dark Walnut | Standard |
| Dove Gray | Optional |
| Emerald Green | Optional |
| Graphite | Optional |
| Imperial Blue | Optional |
| Navy | Optional |
| Regimental Blue | Optional |
| Royal Blue | Standard |
| Slate | Standard |
| Suede | Optional |
| Terra Cotta | Optional |
| Wheat | Standard |
| Custom | Custom* |

| HAMMER STRENGTH SELECT | CODE | DIMENSIONS (L x W x H) | WEIGHT |
|---------------------------|--------|----------------------------------------------|------------------|
| Pectoral Fly | HS-PEC | 49" x 56" x 71" (125 cm x 143 cm x 181 cm) | 580 lbs (264 kg) |
| Pectoral Fly/Rear Deltoid | HS-FLY | 49" x 56" x 71" (125 cm x 143 cm x 181 cm) | 580 lbs (264 kg) |
| Chest Press | HS-CP | 41" x 57" x 64" (105 cm x 145 cm x 163 cm) | 560 lbs (255 kg) |
| Shoulder Press | HS-SP | 60" x 56" x 64" (153 cm x 143 cm x 163 cm) | 520 lbs (236 kg) |
| Seated Row | HS-RW | 52" x 34" x 71" (133 cm x 87 cm x 181 cm) | 590 lbs (268 kg) |
| Lat Pulldown | HS-PD | 54" x 33" x 89" (138 cm x 84 cm x 227 cm) | 545 lbs (248 kg) |
| Fixed Pulldown | HS-FPD | 58" x 55" x 73" (148 cm x 140 cm x 186 cm) | 620 lbs (282 kg) |
| Biceps Curl | HS-BC | 45" x 41" x 55" (115 cm x 105 cm x 140 cm) | 450 lbs (205 kg) |
| Triceps Extension | HS-TE | 45" x 44" x 55" (115 cm x 112 cm x 140 cm) | 470 lbs (214 kg) |
| Lateral Raise | HS-LR | 42" x 37" x 55" (107 cm x 94 cm x 140 cm) | 535 lbs (243 kg) |
| Assist Dip Chin | HS-ADC | 46" x 45" x 87" (117 cm x 115 cm x 221 cm) | 655 lbs (298 kg) |
| Seated Leg Press | HS-SLP | 79" x 40" x 71" (201 cm x 102 cm x 181 cm) | 810 lbs (368 kg) |
| Leg Extension | HS-LE | 47" x 41" x 64" (120 cm x 105 cm x 163 cm) | 570 lbs (259 kg) |
| Leg Curl | HS-LC | 65" x 39" x 55" (166 cm x 100 cm x 140 cm) | 475 lbs (216 kg) |
| Seated Leg Curl | HS-SLC | 55" x 34" x 55" (140 cm x 87 cm x 140 cm) | 515 lbs (234 kg) |
| Horizontal Calf | HS-HC | 61" x 32" x 55" (155 cm x 82 cm x 140 cm) | 690 lbs (313 kg) |
| Hip Adduction | HS-HAD | 61" x 26" x 55" (155 cm x 67 cm x 140 cm) | 575 lbs (261 kg) |
| Hip Abduction | HS-HAB | 61" x 26" x 55" (155 cm x 67 cm x 140 cm) | 575 lbs (261 kg) |
| Back Extension | HS-BE | 46" x 40" x 55" (117 cm x 102 cm x 140 cm) | 560 lbs (255 kg) |
| Hip/Glute | HS-HG | 65" x 39" x 72" (166 cm x 100 cm x 183 cm) | 725 lbs (329 kg) |
| Abdominal Crunch | HS-ABC | 62" x 35" x 56" (158 cm x 89 cm x 143 cm) | 400 lbs (182 kg) |
| Standing Calf | HS-SC | 58" x 45" x 71.5" (148 cm x 115 cm x 182 cm) | 680 lbs (309 kg) |

| мтѕ | CODE | DIMENSIONS (L x W x H) | WEIGHT |
|-------------------------------|-------|-------------------------------------------------------|------------------|
| Abdominal Crunch | MTSAB | 44" x 39" x 56" (112 cm x 100 cm x 143 cm) | 530 lbs (241 kg) |
| Iso-Lateral Biceps Curl | MTSBC | 38" x 58" x 59" (97 cm x 148 cm x 150 cm) | 520 lbs (236 kg) |
| Iso-Lateral Triceps Extension | MTSTE | $36" \times 52" \times 60"$ (92 cm x 133 cm x 153 cm) | 580 lbs (264 kg) |
| Iso-Lateral Chest Press | MTSCP | 40" x 68" x 77" (102 cm x 173 cm x 196 cm) | 765 lbs (347 kg) |
| Iso-Lateral Incline Press | MTSIP | 40" x 68" x 77" (102 cm x 173 cm x 196 cm) | 765 lbs (347 kg) |
| Iso-Lateral Decline Press | MTSDP | 39" x 64" x 66" (100 cm x 163 cm x 168 cm) | 755 lbs (343 kg) |
| Iso-Lateral High Row | MTSHR | 47" x 72" x 77" (120 cm x 183 cm x 196 cm) | 780 lbs (354 kg) |
| Iso-Lateral Row | MTSRW | 51" x 62" x 82" (130 cm x 158 cm x 209 cm) | 765 lbs (347 kg) |
| Iso-Lateral Front Pulldown | MTSFP | 48" x 58" x 80" (122 cm x 148 cm x 204 cm) | 793 lbs (360 kg) |
| Iso-Lateral Shoulder Press | MTSSP | 45" x 62" x 54" (115 cm x 158 cm x 138 cm) | 746 lbs (339 kg) |
| Iso-Lateral Leg Extension | MTSLE | 48" x 57" x 55" (122 cm x 145 cm x 140 cm) | 750 lbs (341 kg) |
| Kneeling Leg Curl | MTSKC | 45" x 62" x 54" (115 cm x 158 cm x 138 cm) | 746 lbs (339 kg) |

| PLATE-LOADED | CODE | DIMENSIONS (L x W x H) | WEIGHT |
|---------------------------------|---------|----------------------------------------------|------------------|
| Iso-Lateral Bench Press | IL-BP | 49" x 52" x 69" (125 cm x 133 cm x 176 cm) | 350 lbs (159 kg) |
| Iso-Lateral Horizontal Press | IL-HBP | 66" x 61" x 42" (168 cm x 155 cm x 107 cm) | 240 lbs (109 kg) |
| Iso-Lateral Super Incline Press | IL-FMP | 50" x 59" x 60" (127 cm x 150 cm x 153 cm) | 360 lbs (164 kg) |
| Iso-Lateral Incline Press | IL-IP | 39" x 52" x 75" (100 cm x 133 cm x 191 cm) | 325 lbs (148 kg) |
| Iso-Lateral Wide Chest | IL-WC | 45" x 59" x 69" (115 cm x 150 cm x 176 cm) | 305 lbs (139 kg) |
| Iso-Lateral Decline Press | IL-DCP | 51" x 54" x 68" (130 cm x 138 cm x 173 cm) | 315 lbs (143 kg) |
| Iso-Lateral Shoulder Press | IL-SP | 51" x 58" x 74" (130 cm x 148 cm x 188 cm) | 350 lbs (159 kg) |
| Iso-Lateral Chest/Back | IL-CB | 72" x 52" x 82" (183 cm x 133 cm x 209 cm) | 390 lbs (177 kg) |
| Iso-Lateral Front Lat Pulldown | IL-PD | 65" x 41" x 80" (166 cm x 105 cm x 204 cm) | 315 lbs (143 kg) |
| Iso-Lateral Wide Pulldown | IL-WPD | 71" x 42" x 80" (181 cm x 107 cm x 204 cm) | 320 lbs (146 kg) |
| Iso-Lateral High Row | IL-HR | 61" x 41" x 79" (155 cm x 105 cm x 201 cm) | 330 lbs (150 kg) |
| Iso-Lateral Rowing | IL-ROW | 59" x 50" x 51" (150 cm x 127 cm x 130 cm) | 280 lbs (128 kg) |
| Iso-Lateral D.Y. Row | IL-DRW | 51" x 56" x 82" (130 cm x 143 cm x 209 cm) | 360 lbs (164 kg) |
| Iso-Lateral Low Row | IL-LR | 48" x 47" x 67" (122 cm x 120 cm x 171 cm) | 335 lbs (152 kg) |
| Seated/Standing Shrug | PL-SH | 42" x 60" x 49" (107 cm x 153 cm x 125 cm) | 235 lbs (107 kg) |
| Seated Dip | PL-DIP | 72" x 49" x 43" (182 cm x 124 cm x 109 cm) | 285 lbs (130 kg) |
| Seated Biceps | PL-BI | 50" x 46" x 53" (127 cm x 117 cm x 135 cm) | 225 lbs (103 kg) |
| Iso-Lateral Lateral Raise | PL-LR | 41" x 55" x 48" (105 cm x 140 cm x 122 cm) | 295 lbs (134 kg) |
| Pullover | PL-PO | 54" x 51" x 59" (138 cm x 130 cm x 150 cm) | 370 lbs (168 kg) |
| 4-Way Neck | PL-4W | 33" x 54" x 62" (84 cm x 138 cm x 158 cm) | 245 lbs (112 kg) |
| Gripper | PL-GRIP | 50" x 28" x 47" (127 cm x 71 cm x 119 cm) | 65 lbs (30 kg) |
| Abdominal Oblique Crunch | PL-AB | 47" x 58" x 66" (120 cm x 148 cm x 168 cm) | 355 lbs (162 kg) |
| Linear Leg Press | HSLLP | 95" x 65" x 57" (242 cm x 166 cm x 145 cm) | 630 lbs (286 kg) |
| Hack Squat | PL-HSQ | 85" x 61" x 59" (216 cm x 155 cm x 153 cm) | 504 lbs (229 kg) |
| Leg Press | PL-LP | 69" x 51" x 57" (176 cm x 130 cm x 145 cm) | 535 lbs (243 kg) |
| Iso-Lateral Leg Press | IL-LP | 70" x 59.5" x 60" (178 cm x 152 cm x 153 cm) | 605 lbs (275 kg) |
| V-Squat | PL-VSQ | 97" x 42" x 81" (247 cm x 107 cm x 205 cm) | 530 lbs (241 kg) |
| Seated Calf Raise | PL-CALF | 49" x 33" x 54" (124 cm x 84 cm x 137 cm | 200 lbs (91 kg) |
| Super Horizontal Calf | PL-SHC | 64" x 57" x 60" (163 cm x 145 cm x 152 cm) | 380 lbs (173 kg) |
| Assisted Nordic Hamstring | PL-ANH | 77" x 53" x 58" (196 cm x 135 cm x 147 cm) | 400 lbs (181 kg) |
| Leg Extension | PL-LE | 56" x 54" x 57" (143 cm x 138 cm x 145 cm) | 295 lbs (134 kg) |

| PLATE-LOADED | CODE | DIMENSIONS (L x W x H) | WEIGHT |
|-------------------------------|---------|--------------------------------------------|--------------------------------------------|
| Iso-Lateral Kneeling Leg Curl | IL-KLC | 43" x 50" x 47" (110 cm x 127 cm x 120 cm) | 250 lbs (114 kg) |
| Seated Leg Curl | PL-SLC | 53" x 54" x 49" (135 cm x 138 cm x 125 cm) | 330 lbs (150 kg) |
| Iso-Lateral Leg Extension | IL-LE | 54" x 57" x 57" (138 cm x 145 cm x 145 cm) | 300 lbs (137 kg) |
| Iso-Lateral Leg Curl | IL-LC | 71" x 53" x 39" (181 cm x 135 cm x 100 cm) | 285 lbs (130 kg) |
| Tibia Dorsi Flexion | PL-TIB | 15" x 24" x 12" (39 cm x 61 cm x 31 cm) | 52 lbs (24 kg) |
| Vertical Smith Machine | HSSMV | 50" x 90" x 93" (127 cm x 229 cm x 236 cm) | 571 lbs (259 kg) |
| T-Bar Row | PL-TBR | 82" x 33" x 21" (210 cm x 82 cm x 53 cm) | 200 lbs (90.7 kg) |
| Glute Drive | PL-GLD | 68" x 59" x 40" (173cm x 149cm x 102cm) | 318 lbs (144 kg) |
| Glute Ham/Reverse Hyper Combo | PL-GHRH | 88" x 40" x 53" (224 cm x 102 cm x 135 cm) | 337 lbs (153 kg) |
| Belt Squat | PL-BSQ | 78" x 63" x 64" (198cm x 160cm x 132cm) | 485 lbs (220 kg) with Dip Attachment |

| GROUND BASE | CODE | DIMENSIONS (L x W x H) | WEIGHT |
|-----------------|--------|--------------------------------------------|------------------|
| Jammer | GB-J | 59" x 66" x 90" (150 cm x 168 cm x 229 cm) | 370 lbs (168 kg) |
| Combo Incline | GB-CI | 58" x 58" x 55" (148 cm x 148 cm x 140 cm) | 275 lbs (125 kg) |
| Combo Decline | GB-CD | 65" x 51" x 96" (166 cm x 130 cm x 244 cm) | 360 lbs (164 kg) |
| ComboTwist | GB-CT | 58" x 58" x 55" (148 cm x 148 cm x 140 cm) | 275 lbs (125 kg) |
| Twist Right | GB-TR | 55" x 50" x 55" (140 cm x 127 cm x 140 cm) | 200 lbs (91 kg) |
| Twist Left | GB-TL | 55" x 50" x 55" (140 cm x 127 cm x 140 cm) | 200 lbs (91 kg) |
| Squat Lunge | GB-SL | 54" x 54" x 32" (138 cm x 138 cm x 82 cm) | 240 lbs (109 kg) |
| Squat High Pull | GB-SHP | 62" x 57" x 34" (158 cm x 145 cm x 87 cm) | 220 lbs (100 kg) |

61 HAMMERSTRENGTH.COM

| BENCHES AND STORAGE | CODE | DIMENSIONS (L x W x H) | WEIGHT |
|------------------------------------|---------|----------------------------------------------|------------------|
| Olympic Bench Weight Storage | O-BWS | 22" x 15" x 46" (56 cm x 39 cm x 117 cm) | 62 lbs (29 kg) |
| Olympic Military Bench | O-MB | 56" x 48" x 65" (143 cm x 122 cm x 166 cm) | 339 lbs (154 kg) |
| Olympic Flat Bench | O-FB | 52" x 50" x 50" (133 cm x 127 cm x 127 cm) | 145 lbs (66 kg) |
| Olympic Incline Bench | OIB | 51" x 52" x 58" (130 cm x 133 cm x 148 cm) | 198 lbs (90 kg) |
| Olympic Squat Rack | OSR | 59" x 69" x 73" (150 cm x 176 cm x 186 cm) | 290 lbs (132 kg) |
| Olympic Decline Bench | O-DB | 60" x 53" x 50" (153 cm x 135 cm x 127 cm) | 190 lbs (87 kg) |
| Adjustable Bench (Pro Style) | FWMAB | 55" x 26" x 17" (140 cm x 67 cm x 44 cm) | 115 lbs (53 kg) |
| Flat Bench | FW-FB | 50" x 22" x 16" (127 cm x 56 cm x 41 cm) | 54 lbs (25 kg) |
| Decline/Abdominal Bench | FW-DB | 63" x 24" x 34" (161 cm x 61 cm x 87 cm) | 100 lbs (46 kg) |
| Utility Bench - 75-degree | FW-UB75 | 51" x 25" x 37" (130 cm x 64 cm x 94 cm) | 65 lbs (30 kg) |
| Smith Machine | HSSM | 50" x 86.5" x 93" (127 cm x 220 cm x 237 cm) | 635 lbs (289 kg) |
| Seated Arm Curl | FW-AC | 39" x 36" x 43" (100 cm x 92 cm x 110 cm) | 160 lbs (73 kg) |
| Single-Tier Dumbbell Rack | FW-DR1 | 90" x 16.5" x 24" (229 cm x 42 cm x 61 cm) | 93 lbs (43 kg) |
| Two-Tier Dumbbell Rack | FW-DR2 | 90" x 24" x 32" (229 cm x 61 cm x 82 cm) | 155 lbs (71 kg) |
| Barbell Rack | FW-BAR | 31" x 28" x 60" (79 cm x 72 cm x 153 cm) | 142 lbs (65 kg) |
| Deluxe Weight Tree | FW-DWT | 20" x 27" x 39" (51 cm x 69 cm x 100 cm) | 73 lbs (34 kg) |
| Small Bumper Plate Storage | FW-BPS | 46" x 16" x 11.5" (117 cm x 41 cm x 30 cm) | 44 lbs (20 kg) |
| Large Bumper Plate Storage | FW-BPL | 72" x 16" x 12" (183 cm x 41 cm x 31 cm) | 88 lbs (40 kg) |
| Back Extension | BW-BE | 59" x 28" x 43" (150 cm x 72 cm x 110 cm) | 135 lbs (62 kg) |
| Chin/Dip/Leg Raise | BW-CDL | 48" x 42" x 92" (122 cm x 107 cm x 234 cm) | 250 lbs (114 kg) |
| Glute/Ham | BW-GH | 72" x 33" x 50" (183 cm x 84 cm x 127 cm) | 329 lbs (150 kg) |
| Fixed Pad Glute/Ham | BW-GHF | 72" x 32" x 50" (183 cm x 82 cm x 127 cm) | 329 lbs (150 kg) |
| HD Athletic Multi-Adjustable Bench | HDT-MAB | 52" x 22" x 18.5" (133 cm x 56 cm x 47 cm) | 85 lbs (39 kg) |

| PLATFORMS | CODE | DIMENSIONS (L x W x H) | WEIGHT |
|--------------------|---------|--------------------------------------------------|-----------------|
| Impact Suppression | ISP-4X8 | 51.5" x 94.5" x 3.25" (131 cm x 240 cm x 8.3 cm) | 316 lb (143 kg) |
| Impact Suppression | ISP-6X8 | 75.5" x 94.5" x 3.25" (131 cm x 240 cm x 8.3 cm) | 408 lb (185 kg) |
| Traditional Wood | TWP-4X8 | 51.5" x 94.5" x 3.25" (131 cm x 240 cm x 8.3 cm) | 316 lb (143 kg) |
| Traditional Wood | TWP-6X8 | 75.5" x 94.5" x 3.25" (131 cm x 240 cm x 8.3 cm) | 408 lb (185 kg) |
| Rubber | RPI-4X8 | 48" x 92" x 0.75" (122 cm x 234 cm 1.9 cm) | 120 lb (54 kg) |
| Rubber | RPI-6X8 | 72" x 92" x 0.75" (183 cm x 234 cm 1.9 cm) | 130 lb (59 kg) |

HD ATHLETIC ACCESSORIES

| 42" Xmembers | HALF RACK AND COMBO RACK | POWER RACK | RACK CONNECTORS | RIGS | PERIMETER | BRIDGE |
|------------------------------------------|--------------------------------|---------------|--------------------|------|------------|--------|
| 42" Monkey Bar | _ | Front Only | - | • | • | • |
| 42" Straight Bar | - | Front Only | - | • | - | - |
| 42"Thick Skinny | Rear Only | Front or Rear | - | • | Front Only | _ |
| 42" Multi-Grip Bar | Rear Only | Rear Only | - | • | - | - |
| 42" Off Set | - | Front Only | - | • | Front Only | _ |
| 42" Suspension Chin | - | - | - | - | Front Only | - |
| 42" Square | _ | Front Only | _ | • | • | |
| 72" Xmembers / 72" Xmember Connectors | | | | | | |
| 72" Monkey Bar | _ | _ | • | • | • | • |
| 72" Straight Bar | - | _ | • | • | Front Only | - |
| 72"Thick Skinny | _ | _ | • | • | Front Only | - |
| 72" Off Set | - | - | • | • | Front Only | - |
| 72" Suspension Chin | _ | _ | _ | _ | Front Only | - |
| 72" Square | - | - | • | • | • | • |
| Square Xmember Accessories* | | | | | | |
| 3" Ball Grip* (Pair) | • | • | • | • | • | • |
| Neutral Grip Handles* (Pair) | • | • | • | • | • | • |
| Arc Bar* | • | • | • | • | • | • |
| Bar Supports & Catches | | | | | | |
| Bar Support (Pair) | S | S | N/A | • | • | • |
| Half Rack Bar Catch (Pair) | S | _ | N/A | • | • | • |
| Power Rack Bar Catch (Pair) | - | S | N/A | - | - | - |
| Flexible Bar Catch (Pair) | _ | • | N/A | • | _ | |
| Misc. Accessories | | | | | | |
| Band Pegs (Pair) | • | • | N/A | • | • | • |
| Dip Handles | • | • | N/A | • | • | • |
| Power Pivot | • | • | N/A | • | • | • |
| Rig Bar Storage | - | - | N/A | • | • | • |
| Rack Bumper Plate Storage | • | • | N/A | _ | _ | _ |
| Weight Horns | S | S | N/A | • | • | S |
| Wing 42" | • | • | N/A | • | • | _ |
| Wing 72" | - | _ | • | • | • | - |
| Bumper Plate Divider | • | • | • | • | • | • |
| Wall Ball Target | • | • | N/A | • | • | • |
| Heavy Bag Hanger | • | • | N/A | • | • | • |
| Storage Components | | | | | | |
| 42" 2 Pipe | - | _ | _ | • | • | _ |
| 42" Kettlebell Tray | - | - | - | • | • | - |
| 42" Dumbbell Tray | - | _ | - | • | • | _ |
| 42" Stability Ball Storage | - | - | - | • | • | • |
| 72" 2 Pipe | - | - | • | • | • | • |
| 72" Kettlebell Tray | - | - | • | • | • | • |
| 72" Dumbbell Tray | - | _ | • | • | • | • |
| 72" Stability Ball Storage | - | - | • | • | • | • |

KEY -

S STANDARD • OPTIONAL

N/A NOT APPLICABLE

- NOT AVAILABLE

